




Technical Data Sheet - Product Information

Product: **HÄRTERPASTE ROT**

Hardener past red


Characteristics:

Red hardener paste based on dibenzoyl peroxide.
Does not contain phthalic esters.
Provides radicals for curing unsaturated polyester resins which are preaccelerated by tertiary aromatic amines.

Range of application:

Curing of airo polyester fillers, repair resins and marble putties

Chemical basis:

Hardener: Dibenzoyl peroxide, phthalic esters

Instructions for use:

Paste like hardener for cold curing unsaturated polyester compounds at room temperature. Especially suitable for curing fillers and repair resins.

Mix the required quantity of polyester filler or polyester resin with approx. 2% hardener paste. The pot life depends on the polyester type of the base.

Excess of hardener does not accelerate the polymerisation rate but might cause loss of adhesion and/or discoloration of the following paint films

Special advice:

Temperatures above 50°C might cause spontaneous decomposition of the hardener paste. Similar effects may occur if in contact with reducing agents or metallic particles, rust and dirt.

Temperature conditions:

Material and surrounding temperatures should range between +18 °C and +25 °C.
Do not apply at temperatures below +5 °C

Storage stability:

12 months in tightly closed tins when kept at +20 °C.